

# The Power of Interoperability

## Spectralink™ Enterprise Mobility Solutions

Spectralink offers enhanced enterprise mobile communications solutions that interoperate with a wide range of call server platforms.

Through the Spectralink Call Server Integration (CSI) program, Spectralink works with technology leaders across the globe to deliver best-in class enterprise mobility solutions that integrate directly with all of the leading Unified Communications (UC) platforms, including all major PBX, IP-PBX providers and hosted collaboration systems to ensure Spectralink solutions work with your customers' current and future communications infrastructure.

This direct integration simplifies deployment, administration, reduces hardware and support costs and further accelerates your Return on Investment (ROI).

### Featured Partners:



### Interoperability Partners:



### The Benefits of Interoperability

- Tested and Qualified.**  
 The CSI program lists all solutions supported by Spectralink, whether tested, validated or certified by Spectralink or partner for Direct interoperability. Eliminate the need for a gateway, reduce complexity and costs
- Increased ROI.**  
 Reduce administration costs, reduce downtime and increase efficiency and productivity
- Streamlined administration.**  
 Increase flexibility and streamline administration by enabling your IT department to centrally administer, modify and control the entire solution
- Mobility.**  
 Add mobility to improve productivity, communication and satisfaction within verticals such as healthcare, retail, manufacturing and many other specialized working environments
- Customized solution.**  
 Mix industry-customized wireless solutions to meet the individual needs of each employee, whether in an office environment, in a warehouse, or on the manufacturing floor.

# Spectralink Versity

## Call Server Interoperability

The table below lists the call servers that have been tested as interoperable with the Spectralink Versity enterprise smartphones. Only products listed in the table have been tested for compatibility and acceptable performance with Spectralink Versity 9540, 9553, 9640, and 9653 models. Interoperability documents are found on the [Spectralink 95, 96-Series Support](#) page.

### Validated or Certified Products

Spectralink enterprise wireless mobility solutions are validated or certified to work on the following call servers and UC platforms.



#### Admin Tip: Supported software versions

All software is subject to significant change from version to version.

Please call Spectralink for additional information including field experience with newer releases.

Partner	Platform	PBX Software Version
Avaya	Aura Communication Manager/Session Manager	6.3, 7.x, 8.0
	Avaya Communications Server 1000	7.5
	IP Office	11.0
Cisco	Cisco Unified Communications Manager (CUCM)	10.0, 11.0, 12.0
	Cisco Unified Communications Manager (CUCM) w/COP *	11.0, 12.0
Digium SwitchVox	SMB 305	6.3.5
Mitel	MiVoice Business	7.0

\* Proprietary code for use with Cisco-labeled Versity models only.

If you are working with an opportunity where the software version is not listed above, please email [support@spectralink.com](mailto:support@spectralink.com) for confirmation of interoperability. All software is subject to significant change from version to version. Only those configurations listed in this document are supported by Spectralink.

Call Server Interoperability for all Spectralink models may be found online at [The Power of Interoperability](#).

# Spectralink PIVOT

## Call Server Interoperability

The tables below list the call servers that have been tested as interoperable with the Spectralink 87-Series handsets. Only products listed in the table have been tested for compatibility and acceptable performance with PIVOT handsets. Spectralink does not recommend or support deployments with products not listed in the table. This document will be updated as additional call servers are tested. Interoperability documents are found on the [Spectralink 87-Series Support](#) page.

### Validated or Certified Products

Spectralink enterprise wireless mobility solutions are validated or certified to work on the following call servers and UC platforms.



**Admin Tip:** Supported software versions

All software is subject to significant change from version to version.

Please call Spectralink for additional information including field experience with newer releases.

Partner	Platform	PBX Software Version
Avaya	Communications Server 1000	7.5, 7.6
	Aura	6.1, 6.2, 6.3, 7.0
	IP Office	9.0
AudioCodes	SPS GW w/Lync Integration	SPS Core: 3.0.31.38710
		SPS Switch: 3.0.25.35690
		Web Admin: 3.0.M.30.38031
Cisco	UCS	9.0, 10.5, 11.x
Interactive Intelligence	Customer Interaction Center (CIC)	CIC 3.0 SU 14 CIC 4.0 GA
Mitel	MiVoice Business 3300 ICP	Release 7.0
		Active Version: 13.0.0.80
NEC	UNIVERGE 3C	8.5.3.11
ShoreTel	ShoreTel IP Phone System	14.2
SwitchVox	54165	6.3.5

### Gateway Integration

Call Server	Gateway Partner	Platform	Gateway Software Version
Avaya Communication Manager V5.0-5.2	AudioCodes	Mediant 1000	6.60A.228.011

If you are working with an opportunity where the software version is not listed above, please email [support@spectralink.com](mailto:support@spectralink.com) for confirmation of interoperability. All software is subject to significant change from version to version. Only those configurations listed in this document are supported by Spectralink

Call Server Interoperability for all Spectralink models may be found online at [The Power of Interoperability](#).

# Spectralink 84-Series

## Call Server Interoperability

The tables below list the call servers that have been tested as interoperable with the Spectralink 84-Series handsets. Only products listed in the table have been tested for compatibility and acceptable performance with Spectralink 8440/8450/8452 and 8441/8453. Interoperability documents are found on the [Spectralink 84-Series Support](#) page.

### Validated or Certified Products

Spectralink enterprise wireless mobility solutions are validated or certified to work on the following call servers and UC platforms. Spectralink recommends: If you do not see your PBX on this list please call as we may have field experience with it.



**Admin Tip:** Supported software versions

All software is subject to significant change from version to version.

Please call Spectralink for additional information including field experience with newer releases.

Partner	PBX Platform	PBX Software Version
Avaya	Aura Communication Manager with Avaya Aura Session Manager	8.0, 7.0, 6.3
	Aura Communication Manager with Avaya Aura SIP Enablement Services (SES)	5.2.1
	IP Office	9.0, 10.1, 11.0
(Nortel)	Communication Server 1000 (CS1K)	7.5 and 7.6
BroadSoft	BroadWorks	22.0
Cisco	Unified Communications Manager (UCM)	11.0
		7x, 8x, 9x, and 10x have also been tested
Digium	Asterisk Business Edition	C-2.3.3
	SwitchVox	5.5.5
Interactive Intelligence	Customer Interaction Center (CIC)	CIC 3.0 SU 14, CIC 4.0 GA
Microsoft <i>Handset labels noted with the Lync name can run Lync (Skype for Business) code.</i>	Skype for Business	On-Premise
	Lync	2013
	Lync	2010
Mitel	MiVoice Business 3300 ICP	7.0
		Active Version: 13.0.0.80
	5000 CP	5.0 SP1
	3300 ICP – Mxe Platform	10.2.2.10
NEC	UNIVERGE: Sphericall	Release 6
	UNIVERGE: SV8500	S1 or later
	UNIVERGE: SV8300	Release 3
	UNIVERGE: SV8100	Release 8
ShoreTel	ShoreTel Unified Communications Solution	14.2
Toshiba	IPedge IGS	V 1.1.11-1
	CIX40, CIX100, CIX200, CIX670, or CIX1200	Release AR520MT055
	Strata CIX40, CIX100, CIX200, and CIX670	Release AR520MT055
Vertical	Wave IP500 Communications Platform	Wave ISM 4.5
	Wave IP2500 Communications Platform	Wave ISM 4.5
Unify	HiPath 3000	V8 R5.7
	HiPath 4000	V6 R1.10.0
	OpenScope Voice	V5.0.0

Continued on next page.

# Spectralink 84-Series

## Call Server Interoperability



### Gateway Integration

Call Server	Gateway Partner	Platform	Gateway Software Version
Avaya Communications Manager V5.0-6.1	Audio Codes	Mediant 1000	V6.20A.054
Avaya (Nortel) Communications Server 1000 V 5.50J	Audio Codes	Mediant 1000	V6.20A.054
Microsoft Lync 4.0 Build 7577.0	Network Equipment Technologies (NET)	UX	1.0.2

*If you are working with an opportunity where the software version is not listed above, please email [support@spectralink.com](mailto:support@spectralink.com) for confirmation of interoperability. All software is subject to significant change from version to version. Only those configurations listed in this document are supported by Spectralink.*

*Call Server Interoperability for all Spectralink models may be found online at [The Power of Interoperability](#).*

# Spectralink DECT Portfolio

## Call Server Interoperability

The tables below list the call servers that have been tested as interoperable with the Spectralink DECT Solutions. Interoperability documents are found on the [Spectralink Support](#) page, under the DECT tab.

### Validated or Certified Products

Spectralink enterprise wireless mobility solutions are validated or certified to work on the following call servers and UC platforms.



#### Admin Tip: Supported software versions

All software is subject to significant change from version to version.

Please call Spectralink for additional information including field experience with newer releases.

Partner	PBX Platform	PBX Software Version	
		HW Version	SW Version
<b>Adtran</b>	Adtran Netvanta UC Server		4.4
<b>Alcatel</b>	OmniPCX Enterprise		R9.1 i1.605.15
	OmniVista 4760i	Alcatel OXE System 0006A56B	10.1
	OmniPCX Office	Alcatel OXO	R021/036.001
<b>Avaya</b>	Aura Session Manager		8.0
	Aura Communications Manager (CM)		7.1 Hybrid for IP-DECT 400/6500 Servers 7.1 Hybrid for DECT 2500/8000 Servers
	Avaya	CS1K	7.5
	Avaya	SCS500	2
	IP Office		10.0
<b>Brekeke</b>	Brekeke		2.4.5.5
<b>BroadSoft</b>	BroadWorks		R19+R20+R21+R22
<b>Cisco</b>	HCS		10.x
	CUCM		12.x
	CUCM		11.x
	CUCM		10.x
	CUCM		9.1.x
<b>Deltapath</b>	frSIP Video & Voice UC Platform	T256/T512, T256-S/T512-S	2.8.8 or above
<b>Digium</b>	Asterisk		1.4.18.1
<b>Epygi</b>	Quadro 4x		5.1.18
<b>Innovaphone</b>	IP6000		9
<b>Kamailio</b>	SIP Proxy		4.0.2
<b>Matrix</b>	Matrix IPPBX		V01R06
<b>Metaswitch</b>	Metaswitch		7.1.1
<b>Microsoft</b>	MS Teams	Using AudioCodes Gateway	Cloud UCaaS
	Skype for Business		On-Premise
	Lync		2013
<b>Mitel</b>	3300	MiVoice Business Release 7.0	13.0.0.80
	5000		4.0.376
<b>NEC</b>	SV8500		S7
<b>PanTerra</b>	Worldsmart		4.35

Continued on next page.

# Spectralink DECT Portfolio

## Call Server Interoperability

Partner	PBX Platform	PBX Software Version	
		HW Version	SW Version
RingCentral	RingCentral	RingCentral Office	Cloud UCaaS
Repro by reSIProcate	SIP Proxy		1.9.6
ShoreTel	ShoreTel		14.2
	Connect Onsite		ST 21.80
Sutus	BC200	BC201	1.6.3
Talkswitch	Talkswitch		6.11.x
Toshiba	Strata CIX		
Vertical	Wave		1.5sp3
	TeleVantage		7.5.4898
Unify	HiPath 4000		V5 R1.5.2
Zultys	Zultys MX250		5.4.5

If you are working with an opportunity where the software version is not listed above, please email [support@spectralink.com](mailto:support@spectralink.com) for confirmation of interoperability. All software is subject to significant change from version to version. Only those configurations listed in this document are supported by Spectralink.

Call Server Interoperability for all Spectralink models may be found online at [The Power of Interoperability](#).

## Copyright Notice

© 2012-2020 Spectralink Corporation All rights reserved. Spectralink™, the Spectralink logo and the names and marks associated with Spectralink's products are trademarks and/or service marks of Spectralink Corporation and are common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Spectralink.

All rights reserved under the International and pan-American Copyright Conventions. No part of this manual, or the software described herein, may be reproduced or transmitted in any form or by any means, or translated into another language or format, in whole or in part, without the express written permission of Spectralink Corporation.

Do not remove (or allow any third party to remove) any product identification, copyright or other notices.

## Contact Information

### US Location

**+1 800-775-5330**

Spectralink Corporation  
2560 55th Street  
Boulder, CO 80301  
USA  
[info@spectralink.com](mailto:info@spectralink.com)

### Denmark Location

**+45 7560 2850**

Spectralink Europe ApS  
Bygholm Soepark 21 E Stuen  
8700 Horsens  
Denmark  
[infoemea@spectralink.com](mailto:infoemea@spectralink.com)

### UK Location

**+44 (0) 20 3284 1536**

Spectralink Europe UK  
329 Bracknell, Doncastle Road  
Bracknell, Berkshire, R612 8PE  
United Kingdom  
[infoemea@spectralink.com](mailto:infoemea@spectralink.com)

*If you are working with an opportunity where the software version is not listed above, please email [support@spectralink.com](mailto:support@spectralink.com) for confirmation of interoperability. All software is subject to significant change from version to version. Only those configurations listed in this document are supported by Spectralink.*

*Call Server Interoperability for all Spectralink models may be found online at [The Power of Interoperability](#).*

## About Spectralink

Spectralink delivers secure, cost-effective mobile communication solutions that empower enterprises to streamline operations, increase their revenues and deliver a positive customer experience - each and every time. Since 1990, Spectralink has deployed millions of devices worldwide across the retail, healthcare, hospitality and manufacturing sectors - providing workers with the industry's most efficient, in-building communications.

For more information, visit [spectralink.com](http://spectralink.com).



[spectralink.com](http://spectralink.com)

[info@spectralink.com](mailto:info@spectralink.com)

+1 800-775-5330 North America

+44 134 4206 591 EMEA