

Spectralink DECT Server 8000



Modular and Customizable DECT On-site Mobility Solution for Medium to Large Enterprises

The Spectralink Hybrid DECT Server 8000 is a modular, scalable and flexible wireless mobility solution supporting both analog and SIP interface for the host call control platform that can be customized to match your enterprise wireless telephony needs today and in the future. With its modular architecture and ability to scale easily, it fits the needs of medium to large enterprise businesses.

The Hybrid DECT Server 8000 solution can be customized to specific wireless needs via a number of optional interface cards: a CPU card with or without link option, a base station card that connects up to eight Digital DECT Base Stations, an analog card with eight or 16 lines, and a media resource card for 32 VoIP connections. You can increase system radio coverage and connect up to 1,024 IP-DECT Base Stations.

Each Hybrid DECT Server 8000 has room for one CPU card and up to eight universal interface cards. Further, up to eight servers can be linked together giving you flexibility and scalability when selecting options. With a combined total of 64 slots, the Spectralink DECT Server 8000 solution allows for multiple ways to deploy a wireless mobility solution that matches the enterprise telephony needs of your organization.

Businesses that need radio coverage over a large geographical area, with multiple locations, or a large number of mobile employees can benefit from the fact that the system supports up to 4,095 wireless users and 1,024 simultaneous calls.

The highly scalable and flexible nature of the Hybrid DECT Server 8000 solution makes it an ideal DECT wireless mobility platform for fast-growing and large businesses since the solution can be expanded as the business grows.

Benefits

- Seamless migration from analog to SIP based telephony
- Dramatically improves responsiveness and productivity of mobile workers
- Increases business efficiency by integrating with application systems and business processes
- Configuration & Management via web-based management tool
- Upgradeable to an IP-DECT Gateway controlled and managed from any Spectralink multi-cell IP-DECT Server to provide new functionality like UCaaS integration and system management with AMIE

TECHNOLOGY ALLIANCE PARTNERS

We integrate with multiple calling, unified communications, alarms, alerts and messaging platforms.

For current list, visit our [Technology Alliance Partner site](#).

Specifications

Analog Line Support

- CLIP FSK Bell core
- DTMF CLIP
- Loop break
- DTMF transmit
- Dial and busy tone detect

Protocol Support

- Session Initiated Protocol (SIP)
- Broadcast Messaging
- Message Service Functions (MSF)
- Event Message Description (EMD)
- Telocator Alphanumeric Protocol 1.8 (TAP)
- XML-RPC

SIP VOIP Support

- Basis call
- Caller ID
- Call Hold
- Call Transfer
- Call Waiting

Call Control Protocol Support

- Session Initiated Protocol (SIP)

Operation And Maintenance

- HTTP with digest authentication
- Web-based administration and maintenance

System Architecture

- Stable system core based on Linux
- CPU card without link option has build-in Media Resource for 8 Channels
- Max. no. of:
 - Registered Spectralink handsets: 4,095
 - Simultaneous calls: 1,024
 - Simultaneous calls per media resource (G.711 & G. 726): 32
 - Spectralink DECT Base Stations:
 - 512 Digital bases (4 channel versions)*
 - 32 Media Resource cards (32 channels per card = 1024 MR channels in total) *
- *These are theoretical maximum capacities and always a tradeoff between the number of bases, users, and simultaneous calls needed.
- Spectralink DECT Repeaters: 3 per Base Station
- Spectralink IP-DECT Base Stations: 1,024 (takes up two channels on the media resource card)
- Linked 8000 servers: 8
- Interface cards in one linked system: 64

- Interface Cards:
 - AB08/16 interface card: 8/16 analog lines
 - BIF08 interface card: drives up to 8 base stations
 - MR32 interface card: media resource card for 32 VoIP connections

Supported Codexs

- G.711 A-law and μ -law
- G.726 (32kbps - 4 bit ADPCM)

Network

- 10/100 Mbps Ethernet port
- Manual or dynamic host configuration protocol (DHCP)
- Time and date synchronization (NTP)
- Event logging

Provisioning

- Configuration
- User data
- Server firmware

Approvals (Regulatory Standards)

- Radio Equipment Directive 2014/53/EU
- Low Voltage Directive 2014/35/EU (CE)
- FCC 47 CFR Part 15

Safety (Regulatory Standards)

- UL62368-1 CAN/CSA-C22.2 No. 62368-1
- IEC 62368-1
- AS/NZS 62368-1
- EN 62368-1

Please check our [support site](#) for the latest approvals and regulatory compliance.

Environmental Conditions

- Operating temperature: 32° - 104° F (0 - 40° C)
- Storage temperature: -22° - 158° F (-30° - 70° C)
- Relative humidity: between 20% and 80% (non-condensing)
- Operating altitude: Up to 9,483 ft. (3,000 m.)
- The equipment is compliant with the requirements of EU directive 2011/65/EU (ROHS) and 2012/19/EU (WEEE)

Benefits continued

- Reduces the number of on-site service visits via service facilities such as management reports and analyzing tools
- Low power consumption fosters a greener environment and reduces costs
- Rack and wall mountable
- Ability to mix digital and IP Base stations in one system
- Allows for synchronization via air or LAN (Local Area Network)
- Customizable solution that runs on an open interface and integrates with third-party business applications

Electrical Requirements

- Power adaptor characteristics: 19 VDC /9.48 A
- The supplied power for AC adaptor power supply must be 110 - 240 VAC nominal, 50/60 Hz. Can use up to 4 power suppliers per server for redundancy purposes


Physical Characteristics

- Size: 7 x 17 x 13 in. (177 x 422 x 328 mm)
- Weight: 11.8 lb (5.34 kg) excl. power supply
- Up to 26.5 lb (12 kg) incl. adapters
- The shelf is four units high in the rack

Interoperability

- For information about supported Call Control / Unified Communications (UC) (PBX and IP-PBX) platforms, visit support.spectralink.com.

Spectralink IP-DECT Server 8000 Configuration



We support industries like yours...

MANUFACTURING & WAREHOUSING




- Instant notifications make users aware of potentially hazardous situations
- Lone workers can send alarms in case of emergency together with user location.
- Notification in case of machine failure reduces production downtime

ELDERLY CARE



- Roam freely with voice and security all within reach
- Communicate clearly with access to tools like nurse call, patient monitoring and workflow apps
- Keep up with the demands of the day with a highly durable handset
- Easily cleanable handset for healthcare standards

RETAIL



- Streamline operations at every stage of the retail and customers journey
- Send tasks to associates so that they can accept the task based on their schedule and report when the task is done/complete
- Send secure messages (HQ to all branches) – with broadcast, group or individually targeted handsets

HOSPITALITY



- Stay in touch with colleagues no matter their location
- Keep up with the demands of the day with a highly durable handset
- Send tasks to cleaning crew and confirm when rooms are ready for the arriving guests.
- Share guest insights in an instant to deliver highly personalized experiences

Complete your Spectralink DECT Solution

Protect and enhance the value of your Spectralink mobility solution with Software Assurance

Spectralink Software Assurance is specifically designed to complement and protect your existing Spectralink DECT solution. Software Assurance entitles you to all available software upgrades, including new features, service updates and security enhancements to mitigate the risk of data loss/breach over your subscription period.

De-risk your investment with Spectralink Professional Services

Design	Deploy
<p>Strategize your path to success. We analyze and assess your needs based on your business goals, end-user requirements, and existing IT infrastructure to start the process. Then we work with you to map out an effective strategy that brings together the right combination of mobile devices, applications, and technology.</p>	<p>Align and activate your solution. We help put your plan into action with a thorough implementation process that includes configuring, implementing, and testing all aspects of your technical environment. We also provide comprehensive training to help prepare and position your employees for mobile success.</p>

About Spectralink

As an award winner in mobile technology, Spectralink has been transforming the way our customers work and communicate for 30+ years. Through our determination to do extraordinary things, we enable mobile workforces and empower our customers and partners to explore what's next, what's possible. With our enterprise grade, best-in-class mobile solutions, we are with our customers wherever they work, however they need us. Our people, commitment to innovation and our passion are our foundation for success.

spectralink.com
info@spectralink.com
+1 800-775-5330 North America
+45 7560 2850 EMEA